



ANAPHLAXIS POLICY

MOUNT ERIN COLLEGE

Child Safe Standards

Mount Erin College is a Child Safe School. Our College is committed to safety and wellbeing of all children and young people. We value all students as individuals and their diversity. This will be the primary focus of our care and decision making.

Mount Erin College is committed to providing a Child Safe environment where children and young people are valued and feel safe, and their voices are heard about decisions that affect their lives.

Our College takes a preventative, proactive and participatory approach to Child Safety to ensure that the safety of children is promoted, child abuse is prevented and allegations of child abuse are properly responded to. Mount Erin College has zero tolerance for child abuse.

PURPOSE

To explain to Mount Erin College parents, carers, staff and students the processes and procedures in place to support students diagnosed as being at risk of suffering from Anaphylaxis. This policy also ensures that Mount Erin College is compliant with Ministerial Order 706 and the Department's guidelines for Anaphylaxis Management.

SCOPE

This Policy applies to:

- all staff, including casual relief staff and volunteers
- all students who have been diagnosed with anaphylaxis or who may require emergency treatment for an Anaphylactic Reaction and their parents and carers.

POLICY

School Statement

Mount Erin College will fully comply with Ministerial Order 706 and the associated guidelines published by the Department of Education and Training.

Anaphylaxis

Anaphylaxis is a severe allergic reaction that occurs after exposure to an allergen. The most common allergens for school aged children are nuts, eggs, cow's milk, fish, shellfish, wheat, soy, sesame, latex, certain insect stings and medications.

Symptoms

Signs and symptoms of a mild to moderate allergic reactions can include:

- swelling of the lips, face and eyes

- hives or welts
- tingling in the mouth

Signs and symptoms of Anaphylaxis, a severe allergic reaction, can include:

- difficult/noisy breathing
- swelling of tongue
- difficulty talking and/or hoarse voice
- wheeze or persistent cough
- persistent dizziness or collapse
- student appears pale or floppy
- abdominal pain and/or vomiting

Symptoms usually develop within ten minutes and up to two hours after exposure to an allergen, but can appear within a few minutes.

Treatment

Adrenaline given as an injection into the muscle of the outer mid thigh is the first aid treatment for Anaphylaxis.

Individuals diagnosed as being at risk of Anaphylaxis are prescribed an adrenaline autoinjector for use in an emergency. These adrenaline autoinjectors are designed so that anyone can use them in an emergency.

Individual Anaphylaxis Management Plans

All students at Mount Erin College who are diagnosed as being at risk of suffering from an Anaphylactic Reaction by a medical practitioner must have an Individual Anaphylaxis Management Plan. When notified of an Anaphylaxis diagnosis, the Principal of Mount Erin College is responsible for developing a plan in consultation with the student's parents/carers.

Where necessary, an Individual Anaphylaxis Management Plan will be in place as soon as practicable after a student enrolls at Mount Erin College and where possible, before the student's first day.

Parents and carers **must**:

- obtain an ASCIA Action Plan for Anaphylaxis from the student's medical practitioner and provide a copy to the school as soon as practicable
- immediately inform the school in writing if there is a relevant change in the student's medical condition and obtain an updated ASCIA Action Plan for Anaphylaxis
- provide an up to date photo of the student for the ASCIA Action Plan for Anaphylaxis when that Plan is provided to the school and each time it is reviewed
- provide the school with a current adrenaline autoinjector for the student that is not expired
- participate in annual reviews of the student's Plan.

Each student's Individual Anaphylaxis Management Plan must include:

- information about the student's medical condition that relates to allergy and the potential for Anaphylactic reaction, including the type of allergies the student has
- information about the signs or symptoms the student might exhibit in the event of an allergic reaction based on a written diagnosis from a medical practitioner
- strategies to minimise the risk of exposure to known allergens while the student is under the care or supervision of school staff, including in the school yard, at camps and excursions, or at special events conducted, organised or attended by the school
- the name of the person(s) responsible for implementing the Risk Minimisation Strategies which have been identified in the Plan
- information about where the student's medication will be stored
- the student's emergency contact details

- an up-to-date ASCIA Action Plan for Anaphylaxis completed by the student's medical practitioner.

Review and updates to Individual Anaphylaxis Plans

A student's Individual Anaphylaxis Plan will be reviewed and updated on an annual basis in consultation with the student's parents/carers. The plan will also be reviewed and, where necessary, updated in the following circumstances:

- as soon as practicable after the student has an Anaphylactic Reaction at school
- if the student's medical condition, insofar as it relates to allergy and the potential for Anaphylactic Reaction, changes
- when the student is participating in an off-site activity, including Camps and Excursions, or at special events including fetes and concerts.

Our school may also consider updating a student's Individual Anaphylaxis Management Plan if there is an identified and significant increase in the student's potential risk of exposure to allergens at school.

Location of plans and adrenaline autoinjectors

At Mount Erin College some students keep their adrenaline autoinjectors on their person and others store them elsewhere:

A copy of each student's Individual Anaphylaxis Management Plan will be stored with their ASCIA Action Plan for Anaphylaxis at Mount Erin College. Whilst some students keep their adrenaline autoinjector on their person, medication for those that do not will be stored and labelled with their name at First Aid Office and other locations below together with adrenaline autoinjectors for general use.

General use EpiPens are stored in the:

- First Aid Office
- Year 8 Office
- PAPE Kitchen
- Sports Store Room next to the Gym
- DATS Centre
- C5 Office
- Resource Centre Office
- Red and Green First Aid Kits for Camps and Excursions

Risk Minimisation Strategies

Mount Erin College aims to reduce the potential risk of a student suffering from an Anaphylactic Reaction at school including:

- during classroom activities (including class rotations, specialist and elective classes)
- between classes and other breaks
- in canteens
- during recess and lunchtimes
- before and after school
- camps and excursions, or at special events conducted, organised or attended by the school (eg. class parties, elective subjects and work experience, cultural days, fetes, concerts, events at other schools, competitions or incursions).

The strategies that you may choose to adopt will depend on your school community, the age of your students and types of allergies that they may suffer from. Appendix F of the Department's [Anaphylaxis Guidelines](#) includes detailed risk mitigation strategies that you may choose to adopt.

To reduce the risk of a student suffering from an anaphylactic reaction at Mount Erin College, we have put in place the following strategies:

- *staff and students are regularly reminded to wash their hands after eating*
- *students are discouraged from sharing food*
- *garbage bins at school are to remain covered with lids to reduce the risk of attracting insects*
- *gloves must be worn when picking up papers or rubbish in the playground*
- *School Canteen Staff are trained in appropriate food handling to reduce the risk of cross contamination*
- *ensuring that foods that may trigger an Anaphylactic Reaction are not used in Food Technology classes*

General use EpiPens are stored in the:

- *First Aid Office*
- *Year 8 Office*
- *PAPE Kitchen*
- *Sports Store Room next to the Gym*
- *DATS Centre*
- *C5 Office*
- *Resource Centre Office*
- *Red and Green First Aid Kits for Camps and Excursions*

Adrenaline autoinjectors for general use

Mount Erin College complies with guidelines on the appropriate number of general use adrenaline autoinjectors for our school, as per page 34 of the Department's *Anaphylaxis Guidelines*: <http://www.education.vic.gov.au/school/teachers/health/pages/anaphylaxischl.aspx>.

Mount Erin College will maintain a supply of adrenaline autoinjector(s) for general use, as a back-up to those provided by parents and carers for specific students, and also for students who may suffer from a first time reaction at school.

The location of Adrenaline autoinjectors for general use, and labelled "general use, are listed above.

The Principal is responsible for arranging the purchase of adrenaline auto-injectors for general use, and will consider:

- the number of students enrolled at Mount Erin College at risk of Anaphylaxis
- the accessibility of adrenaline auto-injectors supplied by parents
- the availability of a sufficient supply of auto-adrenaline injectors for general use in different locations at the school, as well as at camps, excursions and events
- the limited life span of adrenaline auto-injectors, and the need for general use adrenaline auto-injectors to be replaced when used or prior to expiry.

The College's First Aid Officer is responsible for ensuring that the College supply of Adrenaline autoinjectors for general use is sufficient and within their use by date.

Emergency Response

In the event of an Anaphylactic Reaction, the emergency response procedures in this policy must be followed, together with the school's general First Aid Procedures, Emergency Response Procedures and the student's Individual Anaphylaxis Management Plan.

A complete and up to date list of students identified as being at risk of anaphylaxis is maintained by the College's First Aid Officer and stored at the above listed locations for the storage of general use epipens as well as the Main Staffroom and an email list is distributed to all staff each year.

For Camps, Excursions and Special Events, a designated staff member will be responsible for maintaining a list of students at risk of anaphylaxis attending the special event, together with their Individual Anaphylaxis Management Plans and adrenaline autoinjectors, where appropriate.

If a student experiences an Anaphylactic Reaction at school or during a school activity, school staff must:

Step	Action
1.	<ul style="list-style-type: none"> • Lay the person flat • Do not allow them to stand or walk • If breathing is difficult, allow them to sit • Be calm and reassuring • Do not leave them alone • Seek assistance from another staff member or reliable student to locate the student's adrenaline autoinjector or the school's general use autoinjector, and the student's Individual Anaphylaxis Management Plan, stored at the above listed locations • If the student's plan is not immediately available, or they appear to be experiencing a first time reaction, follow steps 2 to 5
2.	Administer an EpiPen or EpiPen Jr (if the student is under 20kg) <ul style="list-style-type: none"> • Remove from plastic container • Form a fist around the EpiPen and pull off the blue safety release (cap) • Place orange end against the student's outer mid-thigh (with or without clothing) • Push down hard until a click is heard or felt and hold in place for 3 seconds • Remove EpiPen • Note the time the EpiPen is administered • Retain the used EpiPen to be handed to ambulance paramedics along with the time of administration
3.	Call an ambulance (000)
4.	If there is no improvement or severe symptoms progress (as described in the ASCIA Action Plan for Anaphylaxis), further adrenaline doses may be administered every five minutes, if other adrenaline autoinjectors are available.
5.	Contact the student's emergency contacts.

If a student appears to be having a severe allergic reaction, but has not been previously diagnosed with an allergy or being at risk of Anaphylaxis, school staff should follow steps 2 – 5 as above.

If in doubt, it is better to use an adrenaline autoinjector than not use it, even if in hindsight the reaction is not Anaphylaxis. Under treatment of Anaphylaxis is more harmful and potentially life threatening than over treatment of a mild to moderate allergic reaction.

Communication Plan

This Policy will be available on Mount Erin College's website so that parents and other members of the school community can easily access information about Mount Erin College's Anaphylaxis Management Procedures. The parents and carers of students who are enrolled at Mount Erin College and are identified as being at risk of anaphylaxis can access a copy of this policy on line or request a hard copy.

The Principal or School Anaphylaxis Training Coordinator is responsible for ensuring that all relevant staff, including Casual Relief Staff and Volunteers are aware of this policy and Mount Erin College's procedures for Anaphylaxis Management. Casual Relief Staff and Volunteers who are responsible for the care and/or supervision of students who are identified as being at risk of anaphylaxis will also receive a verbal briefing on this policy and access relevant information via the CRT Handbook provided by the Daily Organiser.

The Principal, with the support of the School Anaphylaxis Training Coordinator will ensure that all staff complete the Anaphylaxis e-training Module and then undertake the necessary practical training as required by the Department.

Staff Training

Staff at Mount Erin College will receive appropriate training in Anaphylaxis Management, consistent with the Department's *Anaphylaxis Guidelines*.

Staff who are responsible for conducting classes that students who are at risk of anaphylaxis attend, and any further staff that the Principal identifies, must have completed:

- an approved face-to-face Anaphylaxis Management Training Course in the last three years, or
- an approved online Anaphylaxis Management Training Course in the last two years.

Mount Erin College uses the following training course ASCIA Anaphylaxis e – training Vic 2.

Staff are also required to attend a briefing on Anaphylaxis Management and this Policy at least twice per year, facilitated by a staff member who has successfully completed an Anaphylaxis Management Course within the last 2 years including, the First Aid Officer and the School Anaphylaxis Training Coordinator. Each briefing will address:

- this Policy
- the causes, symptoms and treatment of Anaphylaxis
- the identifies of students with a medical condition that relates to allergy and the potential for anaphylactic reaction, and where their medication is located
- how to use an adrenaline autoinjector, including hands on practice with a trainer adrenaline autoinjector
- the school's general First Aid and Emergency Response Procedures
- the location of, and access to, adrenaline autoinjectors that have been provided by parents or purchased by the school for general use.

When a new student enrolls at Mount Erin College who is at risk of Anaphylaxis, the Principal will develop an interim plan in consultation with the student's parents and ensure that appropriate staff are trained and briefed as soon as possible.

FURTHER INFORMATION AND RESOURCES

- School Policy and Advisory Guide:
 - [Anaphylaxis](#)
 - [Anaphylaxis management in schools](#)
- Allergy & Anaphylaxis Australia: [Risk minimisation strategies](#)
- ASCIA Guidelines: [Schooling and childcare](#)
- Royal Children's Hospital: [Allergy and immunology](#)

REVIEW CYCLE AND EVALUATION

This Policy was approved in July 2019 and is scheduled for review in July 2021

The Principal will complete the Department's Annual Risk Management Checklist for Anaphylaxis Management to assist with the evaluation and review of this policy and the support provided to students at risk of Anaphylaxis.